### COMPUTER VISION CS-6350

Prof. Sukhendu Das Deptt. of Computer Science and Engg., IIT Madras, Chennai – 600036.

Email: sdas@cse.iitm.ac.in URL: //www.cse.iitm.ac.in/~sdas //www.cse.iitm.ac.in/~vplab/computer\_vision.html

Aug. – 2021.

1

### INTRODUCTION

### **Contents to be covered**

- **1** Introduction
- **2** Neighborhood and Connectivity of pixels
- **3 DFT, Filtering/Enhancement in spatial and spectral domains**
- **4 3D** transformations, projection and stereo reconstruction
- 5 Histogram based image processing & DHS
- **6** Concepts in Edge Detection
- 7 Hough Transform
- 8 Image segmentation
- **9** Texture analysis using Gabor filters
- **10 Pattern Recognition**
- **11 Motion Analysis**
- **12 Shape from Shading**
- 13 Scale-Space Image Pyramids
- 14 Feature extraction (recent trends) detectors and descriptors
- 15 Bag of Words and Prob. Graphical Models
- 16 **Object Recognition**
- **17** Wavelet transform
- **18 Registration and Matching**

20	Solid Modelling;
22.	Hardware;

Color
Morphology

Use slides as brief : Points, concepts, links

These are not substitute for materials in books

#### References

- 1."Digital Image Processing"; R. C. Gonzalez and R. E. Woods; Addison Wesley; 1992+.
- 2. "Computer Vision: Algorithms and Applications"; by Richard Szeliski; Springer-Verlag London Limited 2011.
- 3. "Multiple View geometry"; R. Hartley and A. Zisserman, 2002 Cambridge university Press.
- 4. "Pattern Recognition and Machine Learning"; Christopher M. Bishop; Springer, 2006.
- 5."Digital Image Processing and Computer Vision"; Robert J. Schallkoff; John Wiley and Sons; 1989+.
- 6."Pattern Recognition: Statistical. Structural and Neural Approaches"; Robert J. Schallkoff; John Wiley and Sons; 1992+.
- 7."3-D Computer Vision"; Y. Shirai; Springer-Verlag, 1984
- 8. "Computer Vision: A Modern Approach"; D. A. Forsyth and J. Ponce; Pearson Education; 2003+. 4

## References (Contd..)

### Journals:

- IEEE-T-PAMI (Transactions on Pattern Analysis and Machine Intelligence)
- IEEE-T-IP (Transactions on Image processing)
- PR (Pattern Recognition)
- PRL (Pattern Recognition Letters)
- CVIU (Computer Vision, Image Understanding)
- IJCV (International Journal of Computer Vision)

### **Online links**

 CV online: http://homepages.inf.ed.ac.uk/rbf/CVonline
Computer Vision Homepage: http://www-2.cs.cmu.edu/afs/cs/project/cil/ftp/html/vision.html

#### **Typical Distribution of marks for Evaluation/grading**

Quiz (50 mins.) -	15 - 20
End Sem exam (120-150 mins.) -	35 - 40
TPA -	30 - 35
TUTS -	10 - 15

Total

100

+/- 05 marks variation at any part; To be finalized well before End Sem Exam.

Pre-Req: - Linear Algebra; Geometry; Stat&Prob basics; Calculus basics; DSP, Programming, Data Structure basics

### What is CVPR ?

http://cvpr2020.thecvf.com/

https://openaccess.thecvf.com/menu

https://openaccess.thecvf.com/CVPR2021

Also, check ICCV, NIPS

#### https://scholar.google.com/citations?view\_op=top\_venues&hl=en

	Publication	h5-index	h5-median
1.	Nature	<u>414</u>	607
2.	The New England Journal of Medicine	<u>410</u>	704
3.	Science	<u>391</u>	564
4.	IEEE/CVF Conference on Computer Vision and Pattern Recognition	<u>356</u>	583
5.	The Lancet	<u>345</u>	600
6.	Advanced Materials	<u>294</u>	406
7.	Cell	<u>288</u>	459
8.	Nature Communications	<u>287</u>	389
9.	Chemical Reviews	<u>270</u>	434
10.	International Conference on Learning Representations	<u>253</u>	470
11.	JAMA	<u>253</u>	446
12.	Neural Information Processing Systems	<u>245</u>	422
13.	Proceedings of the National Academy of Sciences	<u>245</u>	337
14.	Journal of the American Chemical Society	<u>245</u>	330
15.	Angewandte Chemie	<u>235</u>	314
16.	Chemical Society Reviews	234	339

- 3D computer vision
- Action and behavior recognition
- Adversarial learning, adversarial attack and defense methods
- Biometrics, face, gesture, body pose
- Computational photography, image and video synthesis
- Datasets and evaluation
- Efficient training and inference methods for networks
- Explainable AI, fairness, accountability, privacy, transparency ethics
- Image retrieval
- Low-level and physics-based vision
- Machine learning architectures and formulations
- Medical, biological and cell microscopy
- Motion and tracking
- Neural generative models, auto encoders, GANs
- Optimization and learning methods
- Recognition (object detection, categorization)
- Representation learning, deep learning
- Scene analysis and understanding
- Segmentation, grouping and shape
- Transfer, low-shot, semi- and un- supervised learning
- Video analysis and understanding
- Vision + language, vision + other modalities
- Vision applications & systems, vision for robotics & autonomous vehicles
- Visual reasoning and logical representation

### CVPR-20 - CFP



## A computer Vision System (CVS)





**Computer Vision** is an area of work, which is a combination of concepts, techniques and ideas from Digital Image Processing, Pattern Recognition, Artificial Intelligence and Computer Graphics.

Majority of the tasks in the fields of Digital Image Processing or Computer Vision deals with the process of understanding or deriving the scene information or description, from the input scene (digital image/s). The methods used to solve a problem in digital image processing depends on the application domain and nature of data being analyzed.

Analysis of two-dimensional pictures are generally not applicable of processing three-dimensional scenes, and vice-versa. The choice of processing, techniques and methods and 'features' to be used for a particular application is made after some amount of trial and error, and hence experience in handling images is crucial in most of these cases.

For example, analysis of remote sensed or satellite imagery involves techniques based on classification or analysis of texture imagery. These techniques are not useful for analyzing optical images of indoor or outdoor scenes.





**Digital Image processing** is in many cases concerned with taking one array of pixels as input and producing another array of pixels as output which in some way represents an improvement to the original array.

**Purpose:** 

- **1. Improvement of Pictorial Information** 
  - improve the contrast of the image,
  - remove noise,
  - remove blurring caused by movement of the camera during image acquisition,
  - it may correct for geometrical distortions caused by the lens.

2. Automatic Machine perception (termed Computer Vision, Pattern Recognition or Visual Perception) for intelligent interpretation of scenes or pictures.

# **Elements of a Digital Image Processing System**



Image processors: Consists of set of hardware modules that perform 4 basic functions:

- Image acquisition: frame grabber
- Storage: frame buffer
- Low-level processing: specialized hardware device designed to perform Arithmetic Logic operations on pixels in parallel
- Display: read from image memory (frame buffer) and convert to analog video signal
- Digitizers: Converts image into numerical representation suitable for input to a digital computer
- Digital Computers: Interfaced with the image processor to provide versatility and ease of programming.
- Storage Devices: For bulk storage. e.g:- Magnetic disks, magnetic tapes, optical disks
- Display and Recording devices : Monochrome and Color Television monitors, CRT, Laser printers, heat-sensitive paper devices, and ink spray systems.

## Image acquisition using a CCD camera



#### A digital Image

Image is an array of integers:  $f(x,y) \in \{0,1,\ldots,I_{max}-1\},\$ where,  $x,y \in \{0,1,\ldots,N-1\}$ 

- N is the resolution of the image and I<sub>max</sub> is the level of discretized brightness value
- Larger the value of N, more is the clarity of the picture (larger resolution), but more data to be analyzed in the image
- If the image is a gray-level (8-bit per pixel termed raw, gray) image, then it requires N<sup>2</sup> Bytes for storage
  - If the image is color RGB, each pixel requires 3 Bytes of storage space.

Image Size	Storage space required	
(resolution)	Raw - Gray	Color (RGB)
64*64	4K	12K
256*256	64K	192K
512*512	256K	768K
2048×1536 =	megapixels →	MB for RGB

A <u>digital image</u> is a two-dimensional (3-D image is called range data) array of intensity values, f(x, y), which represents 2-D intensity function discretized both in spatial coordinates (spatial sampling) and brightness (quantization) values.

The elements of such an array are called pixels (picture elements).

The storage requirement for an image depends on the spatial resolution and number of bits necessary for pixel quantization.

The processing of an image depends on the application domain and the methodology used to solve a problem. There exists four broad categories of tasks in digital image processing:

(i) Compression, (ii) Segmentation,(iii) Recognition and (iv) motion.

21

Segmentation deals with the process of fragmenting the image into homogeneous meaningful parts, regions or sub-images. Segmentation is generally based on the analysis of the histogram of images using gray level values as features. Other features used are edges or lines, colors and textures.

**Recognition** deals with identification or classification of objects in an image for the purpose of interpretation or identification. Recognition is based on models, which represent an object. A system is trained (using HMM, GMM, ANN etc.) to learn or store the models, based on training samples. The test data is then matched with all such models to identify the object with a certain measure of confidence. **Compression** involves methodologies for efficient storage and retrieval of image data, which occupies large disk space. Typical methods are, JPEG-based, Wavelet based, Huffman Coding, Run length coding etc. for still images and MPEG-I, II, IV & VII for digital video or sequence of frames.

Motion analysis (or dynamic scene analysis) involves techniques for the purpose of tracking and estimation of the path of movement of object/s from a sequence of frames (digital video). Methods for dynamic scene analysis are based on (i) tracking, (ii) obtaining correspondence between frames and then (iii) estimating the motion parameters and (iv) structure of moving objects. Typical methods for analysis are based on optical flow, iterative Kalman filter and Newton/Euler's equations of dynamics. There are generally three main categories of tasks involved in a complete computer vision system. They are:

• Low level processing: Involves image processing tasks in which the quality of the image is improved for the benefit of human observers and higher level routines to perform better.

• Intermediate level processing: Involves the processes of feature extraction and pattern detection tasks. The algorithms used here are chosen and tuned in a manner as may be required to assist the final tasks of high level vision.

• *High level vision*: Involves autonomous interpretation of scenes for pattern classification, recognition and identification of objects in the scenes as well as any other information required for human understanding.

A top down approach, rather than a bottom-up approach is used in the design of these systems in many applications. The methods used to solve a problem in digital image processing depends on the application domain and nature of data being analyzed.

### **Different fields of applications include:**

- **Character Recognition**,
- **Document processing**,
- Commercial (signature & seal verification) application,
- **<u>Biometry and Forensic</u>** (authentication: recognition and verification of persons using face, palm & fingerprint),
- **Pose** and gesture identification,
- Automatic inspection of industrial products,
- Industrial process monitoring,
- Biomedical Engg. (Diagnosis and surgery),
- Military surveillance and target identification,
- Navigation and mobility (for robots and unmanned vehicles land, air and underwater),
- Remote sensing (using satellite imagery),
- <u>GIS</u>

•

0

•

•

•

•

- Safety and security (night vision),
- Traffic monitoring,
- Sports (training and incident analysis)
- VLDB (organization and retrieval)
  - **Entertainment and virtual reality.**

### TARGETED INDUSTRIAL APPLICATIONS

**Intelligent Traffic Control Anti-forging Stamps Card Counting Systems Drive Quality Test Camera Flame Detection CCTV Fog Penetration Key Image Search/Index Security Monitoring Robust Shadow Detection**  **Vehicle Segmentation Visual Tracking Systems Illegal content (adult) Filter** Scratch Detection **Smart Traffic Monitoring Vehicle Categorization Vehicle Wheel alignment Number Plate Identification Referrals for Line calls** 

Different categories of work being done in CV, to solve problems:

2-D image analysis – segmentation, target detection, matching, CBIR;

Pattern Recognition for Objects, scenes;

Feature extraction: Canny, GHT, Snakes, DWT, Corners, SIFT, GLOH, LESH; 3-D multi-camera calibration; Correspondence and stereo; Reconstruction of 3-D Objects and surfaces;

Video and motion analysis; Video analytics; CBVR; Compression;

Multi-sensor data, Decision and feature fusion;

Image and Video-based Rendering; Steganography and Watermarking; The various sub-categories of technology in these related fields are:

- image enhancement,
- image restoration and filtering,
- feature extraction,
- image segmentation,
- image matching,
- color image processing,
- image synthesis,
- image representation,

- image reconstruction
- range data processing,
- representation and description, stereo image processing
  - computational geometry,
  - image morphology,
  - artificial neural networks,
  - Neuro-fuzzy techniques,
  - computational geometry,
  - parallel architectures & algorithms.



### Few DEMOS and ILLUSTRATIONS

### **Courtesy: students of VPLAB - CSE-IITM**

### **Video Object Segmentation**



Best Student Paper Award - "Motion-based Occlusion-aware Pixel Graph Network for Video Object Segmentation", Saptakatha Adak and Sukhendu Das; In 26th International Conference on Neural Information Processing (ICONIP, Rank A), Sydney, Australia, December 12-15, 2019.



### **Road extraction from Satellite Images**

SAT





















# Object Extraction From an Image























### Method 1 **Unsupervised Saliency** GB Image IS RC Proposed GT IT FT CA HFT SF 0

Images from MSRA B 5000 image Dataset



http://research.microsoft.com/en-us/um/people/jiansun/SalientObject/salient object.htn Salient Object Segmentation In Oct 24,

## Visual Results on PASCAL

Method 2







Given a bitmap template (IMT) and a noisy bitmap image IMRN which contains IMT (believe me): FIND OUT the location of IMT in IMRN ! 40

Go to the next page for more:

### **Problem explanation for pessimists.**



• IMRN (in previous page) is obtained by adding a large level of "Salt and Pepper" noise onto IMR bitmap image.

IMT is also obtained from IMR as shown above. 41





IEEE TRANSACTIONS ON COMMUNICATIONS, VOL. COM-34, NO. 11, NOVEMBER 1986 Classified Vector Quantization of Images BHASKAR RAMAMURTHI & Allen G.





