## TPA 5: Image based rendering for novel views (equivalent to photosynth) using 3 or more images

## January, 2016

**Problem Statement:** Image based rendering for novel views equivalent to Photosynth) using 3 or more images.

**Input:** Input to the system are the following

• Set of images containing a panorama from a single location with a single zoom level.

**Expected Output:** The developed code should be able to do the following

• Show the stitched output using the input images in a 360 degree view.

## References

- 1. An, Jaehyun, et al. "Unified framework for automatic image stitching and rectification." *Journal of Electronic Imaging* 24.3 (2015): 033007033007.
- 2. Wang, Zhicheng, et al. "An automatic panoramic image mosaic method based on graph model." *Multimedia Tools and Applications* (2015): 1-16.
- 3. Zeng, Lin, et al. "Dynamic image mosaic via SIFT and dynamic programming." *Machine vision and applications* 25.5 (2014): 12711282.
- Noah Snavely, Steven M. Seitz, and Richard Szeliski. 2006. Photo tourism: exploring photo collections in 3D. In ACM SIGGRAPH 2006 Papers (SIGGRAPH '06). ACM, New York, NY, USA, 835-846.
- 5. Noah Snavely, Steven M. Seitz, and Richard Szeliski. 2008. Modeling the World from Internet Photo Collections. Int. J. Comput. Vision 80, 2 (November 2008), 189-210.
- Manolis I. A. Lourakis and Antonis A. Argyros, The design and implementation of a generic sparse bundle adjustment software package based on the levenberg-marquardt algorithm. In Technical Report FORTH-ICS/TR - 340, August 2004
- Adelson, E.H., Bergen, J.R. (1991). "The plenoptic function and the elements of early vision", In Computation Models of Visual Processing, M. Landy and J.A. Movshon, eds., MIT Press, Cambridge, 1991, pp. 32