Domain Adaptation in Object Detection using weaklysupervised/unsupervised data in target domain

Computer Vision (CS6350) **TPA - 2**

Problem Statement

This problem introduces the task of domain adaptation in object detection using weakly-supervised or unsupervised data in the target domain. Given data from two di erent domains, the source domain and the target domain, the goal is to generalize well on the target domain data which is weakly labelled or completely unlabelled. The classes to be detected in the target domain are all or a subset of those in the source domain.

Input

- Images from source and target domain.
- Annotations for data in the source domain.
- Annotations for data in the target domain (in case of weakly labelled data only).

Expected Output

- 2D Bounding boxes for objects detected in the target domain.
- Quantitative performance evaluated on the target domain dataset using mAP metric.
- Qualitative Results on the target domain data.

Datasets

- Cityscapes & Foggy Cityscapes
- PASCAL VOC & Clipart1K

References

- 1. Ren, Zhongzheng, et al. "Instance-Aware, Context-Focused, and Memory-Efficient Weakly Supervised Object Detection." Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition. 2020.
- 2. Hsu, Han-Kai, et al. "Progressive domain adaptation for object detection." The IEEE Winter Conference on Applications of Computer Vision. 2020.
- 3. Saito, Kuniaki, et al. "Strong-weak distribution alignment for adaptive object detection." Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition. 2019.
- 4. Inoue, Naoto, et al. "Cross-domain weakly-supervised object detection through progressive domain adaptation." Proceedings of the IEEE conference on computer vision and pattern recognition. 2018.
- 5. Chen, Yuhua, et al. "Domain adaptive faster r-cnn for object detection in the wild." Proceed-ings of the IEEE conference on computer vision and pattern recognition. 2018.